

Glass tempering furnace

TAMGLASS, HTF-2136-ABT-10-R

3,8 – 19 mm, 2100 x 3600 mm, Right-Left

Year: 2001. Without convection

Noise reduction cabin included

400 V, 50 Hz, total power: 800 kW (heating 470 kW, motors 330 kW)

In good technical condition. Inspection is possible by appointment.

ESG Ofen / Glashärteanlage

TAMGLASS, HTF-2136-ABT-10-R

3,8 – 19 mm, 2100 x 3600 mm, Rechts-Links

Baujahr: 2001. Ohne Konvektion

Schallschutzkabine inkl.

400 V, 50 Hz, Gesamtleistung: 800 kW (Heizungen 470 kW, Motoren 330 kW)

In gutem technischen Zustand. Besichtigung ist nach Absprache möglich.

Piec do hartowania szkła

TAMGLASS, HTF-2136-ABT-10-R

3,8 – 19 mm, 2100 x 3600 mm, Prawo-Lewo


Rok budowy: 2001. Bez konwekcji

Z kabiną redukującą hałas

400 V, 50 Hz, moc całkowita: 800 kW (grzałki 470 kW, silniki 330 kW)

W dobrym stanie technicznym. Oględziny są możliwe po wcześniejszym umówieniu terminu.







MACHINES RELOCATIONS | RELOKACJE MASZYN | MASCHINENUMZÜGE
<https://mazur.pl/machines-relocations/>